



Australian Government

Department of Infrastructure, Regional Development and Cities

DEPARTMENT OF INFRASTRUCTURE AND TRANSPORT

VEHICLE SAFETY STANDARDS BRANCH

ROAD-FRIENDLY SUSPENSION CERTIFICATE NUMBER (RFCN): RF2069

ISSUE DATE: 14/12/2018

The General Manager, Vehicle Safety Standards, VSS has assessed the information in Schedule 3 for the suspension described in this Road Friendly Certificate, which the Supplier identified in Schedule 1 has submitted, as complying with the road-friendliness requirements as specified in NTC publication 'Road-Friendly Suspension – Performance and Component Requirements, and Acceptable Test Methods'. This information will be acceptable for use as evidence of compliance with the requirements specified in the above NTC publication. Provided the suspension is installed according to the Supplier's nominated installation instructions identified in Schedule 3.

The issue of this Certificate is subject to the following conditions:

1. The Supplier shall not quote the Road-Friendly Certificate Number in respect of a suspension which is not the suspension certified in the Road-Friendly Suspension certificate with that number.
2. Without the prior approval of the General Manager, Vehicle Safety Standards Branch, the Supplier shall not quote Road-Friendly Certificate Number in respect of a suspension, that is in any way different from the suspension described in the final form of the application for this Suspension Certificate Number. The application includes reports and other information relating to the application.
3. The Supplier shall by detailed quality control and test ensure continuing compliance with the requirements.
4. The Supplier shall maintain records of detailed quality control and test documentation.
5. The Supplier shall supply upon request, to General Manager, Vehicle Safety Standards Branch any additional information requested for the purpose of demonstrating compliance.
6. The Supplier shall not quote the Road-Friendly Certificate Number in respect of a suspension on or after the Expiry date specified in the certificate.
7. The Supplier shall indicate by an appropriate method (decal, label or plate) the Road-Friendly Suspension Certificate Number (RFCN) on the suspension system, or on a suitable location on the vehicle near the installed suspension or the vehicle compliance plate.
8. On cessation of marketing the specified suspension in Australia, the Supplier shall notify General Manager, Vehicle Safety Standards Branch of the date of manufacture of the last specified suspension supplied to the market in Australia.
9. If the requirements for road-friendliness are changed by the National Road Transport Commission, a new approval may be required.



SCHEDULE 1

Supplier Name: Hendrickson Asia Pacific Pty Ltd
Supplier ID: L01790
Supplier Address: 32 Letcon Drive DANDENONG SOUTH VIC 3175

SCHEDULE 2

Make: HENDRICKSON PRIMAAAX 462 EX
Model: PAX462 EX

SCHEDULE 3

	Variant 1	Variant 2	<u>Variant 3</u>
Variant name:	PAX462EX	PAX522EX	PAX232EX
Number of Axles	2	2	1
Overslung/Underslung	Underslung	Underslung	Underslung
Maximum Axle spread (m)	1.420	1.420	0.000
Dampers Part Numbers	98583-032	98583-067 98583-032	98586-032, 98583-068, 70807-001
Smallest Tyre Size Designation	19.5	19.5	19.5
Highest tyre pressure (Kpa)	690	690	825
Airbag Diameter (mm)	330	330	330
Reference Drawings No of Suspension (parts list & assembly details)	97083-XXX	97283-XXX	97283-XXX



Australian Government

Department of Infrastructure, Regional Development and Cities

	Variant 4	Variant 5	<u>Variant 6</u>
Variant name:	PAX262EX	PAX462EX	PAX522EX
Number of Axles	1	2	2
Overslung/Underslung	Underslung	Underslung	Underslung
Maximum Axle spread (m)	0.000	1.840	1.840
Dampers Part Numbers	98586-067, 98583-069, 70807-002	98583-032 98583-068, 70807-001	98583-067 98583-069, 70807-002
Smallest Tyre Size Designation	19.5	19.5	19.5
Highest tyre pressure (Kpa)	825	825	825
Airbag Diameter (mm)	330	330	330
Reference Drawings No of Suspension (parts list & assembly details)	97283-XXX	97083-XXX	97283-XXX



Australian Government

Department of Infrastructure, Regional Development and Cities

	Variant 7	Variant 8	
Variant name:	PAX692EX	PAX782EX	
Number of Axles	3	3	
Overslung/Underslung	Underslung	Underslung	
Maximum Axle spread (m)	3.048	3.048	
Dampers Part Numbers	98586-032, 98583-068, 70807-001	98583-067 98583-069, 70807-002	
Smallest Tyre Size Designation	19.5	19.5	
Highest tyre pressure (Kpa)	825	825	
Airbag Diameter (mm)	330	330	
Reference Drawings No of Suspension (parts list & assembly details)	97083-XXX	97283-XXX	

.....
Section Head, Heavy Vehicles
Vehicle Safety Standards
Date: 14 December 2018